

**FANUC CONTROL CABLE SERIES**



**Product: Motor Power Cable K-10**



**Specification**

Front Connector	Model	End Connector
AMP 1-917807-2	TSS-087-4B 2.0m m <sup>2</sup> x 4C	MS3108B 18-10S

**Product: Motion Control Cable between PSM and SPM K-4**



**Specification**

Front Connector	Model	End Connector
AMP made : Housing : 1-178288-3 Contact : 1-175218-2	TSK made : TSS-093-2A 1.25m m <sup>2</sup> x 2C	AMP made : Housing : 1-178288-3 Contact : 1-175218-2

**Product: Signal Cable between SVM and Servo Motor K-22**



**Specification**

Front Connector :	Model:	End Connector :
HRS made : FI40-20 FI20-CV5	TSK made : TSS-426-7 0.3mm <sup>2</sup> x5C +0.2mm <sup>2</sup> x 1P	JAE made : JN2DS10SL2
Remark :	JN1: plastic cover plate. JN2: innovative metal cover plate	

**Product: Motion Control Cable between Power Supply Side and PSM K-3**



**Specification**

Front Connector :	Model :	End Connector :
AMP made : 1-178128-3	TSK made : TSS-093-2A 1.25mm <sup>2</sup> x 2C	JST made : 1.25-3Y

**Product: Signal Cable between NC Unit and SVM K-23**



**Specification**

Front Connector :	Model :	End Connector :
HRS made : FI40-20 FI20-CV5	TSK made : TSS-413 7/0.127TA x 10P	HRS made : FI40-20 FI20-CV5

**Product: Data transmission cable between I/O**



**Specification**

Front Connector :	Model :	End Connector :
3M made : FX-50S	TSK made : TSS-002-1 0.18mm <sup>2</sup> x 50C	3M made : FX50S